◆MATERIAL SAFETY DATA SHEET◆

| SECTION I | | | |
|--|----------------------------------|--|--|
| MANUFACTURER'S NAMES | EMERGENCY TELEPHONE NUMBER | | |
| Shanghai Ecocom Industries co.,LTD | (0086) 21 59593471 | | |
| ADDRESS (NUMBER, STREET, CITY, STATE AND ZIP CODE) | TELEPHONE NUMBER FOR INFORMATION | | |
| No 4671 Caoan road shanghai city China 201804 | (0086) 21 59593471 | | |
| PRODUCT NAME: | PRODUCT NUMBER: | | |
| Hagerty Jewerly wipe | | | |
| CHEMICAL NATURE: | DATE PREPARED | | |
| Cotton fabric Treated with Blended Liquid | Sep. 28, 2007 | | |
| (compounded Cleaner) | | | |

| SECTION II - HAZARDOUS INGREDIENTS | | | |
|--|-----------|------------|--|
| HAZARDOUS COMPONENTS: (SPECIFIC CHEMICAL IDENTITY; COMMON NAME(S)) | OSHA PEL. | ACGIH TLV. | |
| Polishing AluminaCAS# 1344-28-1 Sodium | N/A | N/A | |
| thiosulfateCAS#7772-98-7 | N/A | N/A | |
| Sodium sulfiteCAS# 7757- 83-7 | N/A | N/A | |

| SECTION III - PHYSICAL DATA | | | | |
|-----------------------------|-----|--------------------------------------|-----|--|
| Boiling Point | N/A | Specific Gravity $(H_2O = 1)$ | N/A | |
| Vapor Pressure (mm Hg.) | N/A | Percent Volatile, By Volume % | N/A | |
| Vapor Density (Air = 1) | | Evaporation Rate (Butyl Acetate = 1) | N/A | |
| Solubility in Water | N/A | · | | |
| Appearance and Odor: | | wipe-liked, odorless | | |

| SECTION IV - FIRE AND EXPLOSION HAZARD DATA | | | | | |
|--|-----|-------------------|---------|--------------------------|----------------------|
| Flash Point: | N/A | Flammable Limits: | LEL.: | None | UEL.: None |
| Extinguishing Media: Foam, Carbon Dioxide, Dry Powder, water spr | | | | Ory Powder ,water spray. | |
| Special Fire Fighting Procedures | | | Additio | n of wate | er spray will aid in |

reducing buring

Rate

| SECTION V - HEALTH HAZARD DATA | | | | |
|---|--|---|--|--|
| ROUTE(S) OF ENTRY: | | | | |
| INHALATION: | | | | |
| SKIN: | Skin contact would be the most likely mode of exposure under normal usage. | | | |
| INGESTION: | | | | |
| HEALTH HAZARDS: (ACUTE AND CHRONIC) | Skin irritation m | ay occur in sensation individual if prolonged exposure occur. | | |
| Carcinogen | | | | |
| NTP? | | N/A | | |
| IARC MONOGRAPHS? | | N/A | | |
| OSHA REGULATED? | | Not regulated by OSHA. | | |
| SIGNS AND SYMPTOMS OF EXPO MEDICAL CONDITIONS GENERALLY EXPOSURE: | | Prolonged skin contact may cause mild irritation. None is known | | |
| EMERGENCY AND FIRST AID | PROCEDURES: | | | |
| FOR EYE CONTACT: | | Flush eyes with copious quantities of water. If irritation persists, call physician | | |
| SECTION VI - F | PRECAUTIO | NS FOR SAFE HANDLING AND USE | | |
| STEPS TO BE TAKEN IN CASE MATERIAL I | S RELEASED OR SPILLED | o: N/A | | |

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

WASTE DISPOSAL METHOD:

In accordance with state, local and federal regulations

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:

None

OTHER PRECAUTIONS:

None

| SECTION VII - REACTIVITY DATA | | | | | |
|--|----------------|---|--|--|--|
| STABILITY | Unstable | | Conditions to Avoid: | | |
| | Stable | X | Heat, Flames, and open sparks | | |
| INCOMPATIBILITY(MATERIALS TO AVOID): | | | | | |
| HAZARDOUS DECOMPOSITION OR BYPRODUCTS: | | | None | | |
| HAZARDOUS | May Occur | _ | Conditions to Avoid: Strong Oxidizing Agents | | |
| POLYMERIZATION | Will Not Occur | X | | | |

SECTION VIII - CONTROL MEASURES

RESPIRATORY PROTECTION: *Under normal conditions of use, respiratory protection is not required.* (SPECIFY TYPE) Local Exhaust VENTILATION None Special: Mechanical (General) None Other:

PROTECTIVE GLOVES -N/A

EYE PROTECTION -- None

| OTHER PROTECTIVE CLOTHING OR EQUIPMENT: | None | |
|---|------|--|
| WORK/HYGIENIC PRACTICES: | None | |